

LaMAS - Kovatch Contract Number - 4400009352

Mfg. Name	part #	Base Units Description	LaMAS Price
KME	FD1	Fuel Delivery Tank Truck, 2800 Gal-- International 4400 SBA 4X2, Seating for 2, Front Axle 12,000 lbs., Rear Axle 21,000 lbs., MaxxFace DT 285 HP, Aluminum Fuel Tank. Vehicle is Fully Compliant with NFPA 385 & 407.	\$127,952.50
KME	FD2	Fuel Delivery Tank Truck, 4400 Gal-- International 4400 SBA 6X4, Seating for 2, Front Axle 14,000 lbs., Rear Axle 40,000 lbs., Navistar N9, Aluminum Tank. Vehicle is Fully Compliant with NFPA 385 & 407.	\$171,295.15
KME	RF1	AV Gas Refueler, 1500 Gallon-- Ford F-550 6.8 L V10, Seating for 2, Front Axle 6000 lbs., Rear Axle 12,000 lbs., Aluminum Tank. Vehicle is Fully Compliant with NFPA 385 & 407.	\$140,788.05
KME	RF2	AV Gas Refueler, 2000 Gallon-- International 4400 SBA 4X2, Seating for 2, MaxxFace DT 285 HP, Front Axle 12,000 lbs., Rear Axle 21,000 lbs., Aluminum Tank. Vehicle is Fully Compliant with NFPA 385 & 407.	\$160,535.05
KME	RF3	Rampmaster 17,500 Refueler-- KME Custom, Seating for 2, Front Axle 20,000 lbs., Rear Axle 40,000 lbs., Cummins Tier 4 QSB 6.7 Turbo Deisel 225 HP. Vehicle is Fully Compliant with NFPA 385 & 407.	\$771,765.15
KME	PF1	3499 Propane Delivery Tank Truck-- Internatioal 4400 SBA 4X2, Seating for 2, Front Axle 10,000 lbs., Rear Axle 23,000 lbs., MaxxFace DT 300 HP, Propane Tank. Vehicle is Fully Compliant with NFPA 385 & 407.	\$148,686.85
KME	AM1	AERIAL55' Firestix-- KME Custom Cab, Seating for 6, Front Axle 21,500 lbs., Rear Axle 27,000 lbs., Cummins ISL9 450 HP, Hale Q-Flo plus-125 1250 GPM, 150 Gallon Poly Tank, Aluminum Body, 55' Firestix Water Tower, 500 lb. Tip Load. Vehicle is Fully Compliant With NFPA 1901.	\$523,562.44
KME	AM2	AERIAL 79' Rear Mount Ladder Single Axle, Quint-- KME Custom Cab, Seating for 6, Front Axle 23,000 lbs., Rear Axle 33,500 lbs., Cummins ILS9 450 HP, Hale QMAX-175 1750 GPM, 150 Gallon Poly Tank, Aluminum Body, 79' 3 Section With Pre-Piped Waterway, 500 lb. Tip Load. Vehicle is Fully Compliant With NFPA 1901.	\$603,471.97
KME	AM3	AERIAL 79' Rear Mount Ladder Tandem Axle, Quint-- KME Custom Cab, Seating For 6, Front Axle 23,000 lbs., Rear Axle 48,000 lbs., Cummins ISX12 500 HP, Hale QMAX-175 1750 GPM, 150 Gallon Poly Tank, Aluminum Body, 79' 3 Section With Pre-Piped Waterway, 750 lb. Tip Load. Vehicle is Fully Compliant With NFPA 1901.	\$650,820.79

Mfg. Name	part #	Base Units Description	LaMAS Price
KME	AM4	AERIAL 103' Rear Mount Ladder, Quint-- KME Custom Cab, Seating For 6, Front Axle 23,000 lbs., Rear Axle 48,000 lbs., Cummins ISX12 500 HP, Hale QMAX-175 1750 GPM, 150 Gallon Poly Tank, Aluminum Body, 103' 4 section With Pre-Piped Waterway. 500 lb. Tip Load. Vehicle is Fully Compliant With NFPA 1901.	\$700,528.42
KME	AM5	AERIAL 109' Rear Mount Ladder, Quint -- KME Custom, Seating for 6, Front Axle 23,000 lbs., Rear Axle 54,000 lbs., Cummins ISX12 500 HP, Hale QMAX-175 1750 GPM, 150 Gallon Poly Tank, Aluminum Body, 109' 3 Section With Pre-Piped Waterway, 500 lb. Tip Load. Vehicle is Fully Compliant With NFPA 1901.	\$722,980.25
KME	AM6	AERIAL 123' Rear Mount Ladder, Quint-- KME Custom, Seating for 6, Front Axle 23,000 lbs., Rear Axle 58,000 lbs., Cummins ISX12 500 HP, Hale QMAX-175 1750 GPM, 150 Gallon Poly Tank, Aluminum Body, 123' 4 Section With Pre-Piped Waterway, 500 lb. Tip Load. Vehicle is Fully Compliant With NFPA 1901.	\$782,288.15
KME	AM7	AERIAL 102' Rear Mount Platform-- KME Custom, Seating for 6, Front Axle 23,000 lbs., Rear Axle 60,000 lbs., Cummins ISX12 500 HP, Hale QMAX-200 2000 GPM, 150 Gallon Poly Tank, Aluminum Body, 102' 3 Section with Pre-Piped Waterway. 1,000 lb. Tip Load. Vehicle is Fully Compliant With NFPA 1901.	\$799,809.33
KME	AM8	AERIAL 100' MidMount Platform-- KME Custom, Seating for 6, Front Axle 23,000 lbs., Rear Axle 58,000 lbs., Cummins ISX12 500 HP, Hale 8F 2000 GPM, 150 Gallon Poly Tank, Aluminum Body, 100' 5 Section With Pre-Piped Waterway, 1000 lb. Tip Load. Vehicle is Fully Compliant With NFPA 1901.	\$842,334.02
KME	AM9	AERIAL 100' MidMount 4-Sec Ladder-- KME Custom, Seating For 6, Front Axle 23,000 lbs., Rear Axle 58,000 lbs., Cummins ISX12 500 HP, Hale 8F 2000 GPM, 150 Gallon Poly Tank, 100' 4 Section With Pre-Piped Waterway, 500 lb. Tip Load. Vehicle is Fully Compliant With NFPA 1901.	\$770,086.28
KME	AM10	AERIAL 100' Tractor Drawn Aerial Ladder-- KME Custom, Seating for 6, Front Axle 21,500 lbs., Rear Axle 31,000 lbs., Cummins ISX12 500 HP, No Pump or Tank, Aluminum Body, 100' 4 Section With Pre-Piped Waterway, 500 lb. Tip Load. Vehicle is Fully Compliant With NFPA 1901	\$804,591.23

Mfg. Name	part #	Base Units Description	LaMAS Price
KME	AM11	AERIAL 101' Tractor Drawn Aerial Ladder w/ Waterway -- KME Custom, Seating for 6, Front Axle 21,500 lbs., Rear Axle 31,000 lbs., Cummins ISX12 500 HP, No Pump or Tank, 101' 4 Section With Pre-Piped Waterway, 500 lb. Tip Load. Vehicle is Fully Compliant With NFPA 1901.	\$851,092.69
KME	AR1	AIRPORT Class 1 Rapid Intervention Vehicle -- Ford F-550 4DR 4X4 Auto XL, Seating for 6, Front Axle 7,000 lbs., Rear Axle 14,700 lbs., Engine Powerstroke 6.7L V 8 300 HP, Darley 1.5 Age 33K Pump, Fire Research MFA200 Around the Pump Foam System, 100 Gallon Poly Water Tank, 20 Gallon Foam Tank, Aluminum Body, Front Bumper Turret. Vehicle is Fully Compliant With NFPA 414.	\$193,913.29
KME	AR2	AIRPORT Class 2 Rapid Intervention Vehicle -- Ford F-550 4DR Auto XL, Seating for 6, Front Axle 7,000 lbs., Rear Axle 14,700 lbs., Engine Powerstroke 6.7L V 8 300 HP, Darley 1.5 Age 33K Pump, Fire Research MFA 200 Around the Pump Foam System, 300 Gallon Poly Water Tank, 40 Gallon Foam Tank, Aluminum Body, Front Bumper Turret. Vehicle is Fully Compliant With NFPA 414.	\$208,398.16
KME	AR3	AIRPORT Class 3 Rapid Intervention Vehicle -- International 7400 SA SFA 2DR 4X4, Seating for 6, Front Axle 7,000 lbs., Rear Axle 14,700 lbs., Engine Powerstroke 6.7L V 8 300 HP, Hale DSD-125 1250 GPM, Fire Research MFA 200 Around the Pump Foam System, 500 Gallon Poly Water Tank, 75 Gallon Foam Tank, Aluminum Body, Front Bumper Turret, Dry Chemical System. Vehicle is Fully Compliant With NFPA 414.	\$311,907.93
KME	AR4	AIRPORT Class IV ARFF -- KME Custom, 4X4, Seating for 3, Front Axle 29,000 lbs., Rear Axle 29,000 lbs., Force - Caterpillar C18 700 HP, Hale RME-3-200 2000 GPM, Feecon AP-2.0 Around the Pump Foam System, 1500 Gallon Water Tank, 200 Gallon Foam Tank, Aluminum Body, Front Bumper Turret. Vehicle is Fully Compliant With NFPA 414	\$614,375.44
KME	AR5	AIRPORT Class V ARFF -- KME Custom, 6X6, Seating for 3, Front Axle 29,000 lbs., Both Rear Axles 29,000 lbs., Force - Caterpillar C18 700 HP, Hale RME-3-200 2000 GPM, Feecon AP-2.0 Around the Pump Foam System, 3000 Gallon Water Tank, 400 Gallon Foam Tank, Aluminum Body, Front Bumper Turret. Vehicle is Fully Compliant With NFPA 414	\$634,336.03

Mfg. Name	part #	Base Units Description	LaMAS Price
KME	AR6	AIRPORT Air Transportable ARFF-- KME Custom 4X4, Seating for 6, Front Axle 23,000 lbs., Rear Axle 23,000 lbs., Force - Catepillar C13 520 HP, Hale RME-3-200 2000 GPM, Feecon AP-2.0 Around the Pump Foam System, 1500 Gallon Fiberglass Water Tank, Non Corrosive Body, Dry Chemical System, Akron Tuckaway Roof Turret, Front Bumper Turret. Vehicle is Fully Compliant With NFPA 414.	\$589,347.94
KME	PM1	PUMPER Legacy, Comml-- International 4400 SA SBA 4DR 4X2, Seating for 5, Front Axle 12,000 lbs., Rear Axle 24,000 lbs., International MaxxFORCE 9 330 HP, Hale DSD-1250 1250 GPM, 1000 Gallon Poly Tank, 25 Gallon Foam Tank, Aluminum Body. Vehicle is Fully Compliant With NFPA 1901.	\$224,632.44
KME	PM2	PUMPER Challenger, Comml-- International 4400 SA SBA 4DR 4X2, Seating for 5, Front Axle 14,000 lbs., Rear Axle 26,000 lbs., International MaxxFORCE 9 EPA 10 330 HP, Hale QFLO Plus-125 1250 GPM, 1000 Gallon Poly Tank, Aluminum Body. Vehicle is Fully Compliant With NFPA 1901.	\$231,038.50
KME	PM3	PUMPER Flex, Comml-- International 4400 SA SBA 4DR 4X2, Seating for 5, Front Axle 14,000 lbs., Rear Axle 26,000 lbs., International MaxxFORCE 9 EPA 10 330 HP, Hale QFLO Plus-100 1000 GPM, 1000 Gallon Polly Tank, Aluminum Body. Vehicle is Fully Compliant With NFPA 1901.	\$233,810.91
KME	PM4	PUMPER Legacy, Custom-- KME Custom, Seating for 6, Front Axle 20,000 lbs., Rear Axle 24,000 lbs., Cummins ISL9 450 HP, Hale DSD-1250 1250 GPM, 1000 Gallon Poly Tank, 25 Gallon Foam Tank, Provisions for Dump Valve and Direct Tank Fill, Aluminum Body. Vehicle is Fully Compliant With NFPA 1901.	\$308,015.89
KME	PM5	PUMPER Challenger, Custom-- KME Custom, Seating for 6, Front Axle 20,000lbs., Rear Axle 24,000 lbs., Cummins ISL9 450 HP, Hale QFLO Plus-125 1250 GPM, 1000 Gallon Poly Tank, Aluminum Body. Vehicle is Fully Compliant With NFPA 1901.	\$305,883.57
KME	PM6	PUMPER Flex, Custom, Lvl 1-- KME Custom, Seating for 6, Front Axle 20,000 lbs., Rear Axle 24,000 lbs., Cummins ISX12 450 HP, Hale QMAX-150 1500 GPM, 1000 Gallon Poly Tank, Alumunum Body. Vehicle is Fully Compliant With NFPA 1901.	\$370,906.15
KME	PM7	PUMPER Flex, Custom, Lvl 2-- KME Custom, Seating for 8, Front Axle 21,500 lbs., Rear Axle 31,000 lbs., Dummin ISX15 500 HP, Hale QMAX-150 1500 GPM, FoamPro 2002 Foam System, 1250 Gallon Poly Water Tank, 30 Gallon Foam Tank, Alumunum Body, TFT Monsoon RC Electric Deck Gun. Vehicle is Fully Compliant With NFPA 1901.	\$500,405.27

Mfg. Name	part #	Base Units Description	LaMAS Price
KME	PM8	Pumper Rear Mount, Comm -- International 4400 SA SBA 4DR, Seating for 5, Front Axle 14,000 lbs., Rear Axle 26,000 lbs., International MaxxFace 9 EPA 10 330 HP, Hale RMB-100 1000 GPM, 500 Gallon Poly Water Tank, Alumunum Body. Vehicle is Fully Compliant With NFPA 1901.	\$252,323.40
KME	PM9	PUMPER Rear Mount, Custom -- KME Custom, Seating for 6, Front Axle 20,000 lbs., Rear Axle 27,000 lbs., Cummins ISL9 450 HP, Hale RMB-100 1000 GPM, 500 Gallon Poly Water Tank, Alumunum Body. Vehicle is Fully Compliant With NFPA 1901.	\$367,262.38
KME	PM10	PUMPER PRO, Custom -- KME Custom, Seating for 6, Front Axle 20,000 lbs., Rear Axle 24,000 lbs., Cummins ISL9 450 HP, Waterous CSU C20 2000 GPM, 1000 Gallon Poly Water Tank, Aluminum Body. Vehicle is Fully Compliant With NFPA 1901.	\$384,107.97
KME	PM11	PUMPER CAFS, Custom -- KME Custom, Seating for 6, Front Axle 20,000 lbs., Rear Axle 24,00 lbs., Cummins ISX12 450 HP, Hale QMAX-150 1500 GPM, Pneumax CAFS Platunum 200-P 200 CFM Advantus 6.0 Foam System, 1000 Gallon Poly Water Tank, 30 Gallon Foam Tank, Aluminum Body. Vehicle is Fully Compliant With NFPA 1901.	\$418,706.96
KME	RM1	RESCUE Light Duty, Walk-Around -- F-550 2DR 4X2 Auto, Seating for 3, Front Axle 7,000 lbs., Rear Axle 14,700 lbs., Powerstroke 6.7L V-8 OHV 300 HP, Aluminum Body. Vehicle is Fully Compliant With NFPA 1901.	\$109,254.48
KME	RM2	RESCUE Light Duty, Walk-In -- Ford F-550 2DR 4X2 Auto XL, Seating for 3, Front Axle 7,000 lbs., Rear Axle 14,700 lbs., Powerstroke 6.7L V-8 OHV 300 HP, Aluminum Body. Vehicle is Fully Compliant With NFPA 1901.	\$137,830.75
KME	RM3	RESCUE Medium Duty, Walk-Around -- International 4300M7 SBA 2DR 4X2 Auto, Seating for 2, Front Axle 12,000 lbs., Rear Axle 19,000 lbs., MaxxFace 7 EPA 10 300 HP, Aluminum Body. Vehicle is Fully Compliant With NFPA 1901.	\$148,380.12
KME	RM4	RESCUE Medium Duty, Walk-In -- International 4300M7 SBA 2DR 4X2 Auto, Seating for 2, Front Axle 12,000 lbs., Rear Axle 19,000 lbs., MaxxFace 7 EPA 10 300 HP, Aluminum Body. Vehicle is Fully Compliant With NFPA 1901.	\$168,409.80
KME	RM5	RESCUE Heavy Duty, Walk-Around, Single Axle -- KME Custom, Seating for 6, Front Axle 21,500 lbs., Rear Axle 24,000 lbs., Cummins ISL9 350 HP, Aluminum Body. Vehicle is Fully Compliant With NPFA 1901.	\$314,584.66

Mfg. Name	part #	Base Units Description	LaMAS Price
KME	RM6	RESCUE Heavy Duty, Walk-in, Single Axle--KME Custom, Seating for 6, Front Axle 21,000 lbs., Rear Axle 24,000 lbs., Cummins ISL9 350 HP, Aluminum Body. Vehicle is Fully Compliant With NFPA 1901.	\$319,646.78
KME	RM7	RESCUE Heavy Duty, Walk-Around, Tandem Axle-- KME Custom, Seating for 6, Front Axle 21,500 lbs., Rear Axle 40,000 lbs., Cummins ISL9 450 HP, Aluminum Body. Vehicle is Fully Compliant With NFPA 1901.	\$355,126.73
KME	RM8	RESCUE Heavy Duty, Walk-in, Tandem Axle-- KME Custom, Seating for 6, Front Axle 21,500 lbs., Rear Axle 40,000 lbs., Cummins ISL9 450 HP, Aluminum Body. Vehicle is Fully Compliant With NFPA 1901.	\$376,979.73
KME	RM9	RESCUE Heavy Duty, Combination-- KME Custom, Seating for 6, Front Axle 21,500 lbs., Rear Axle 24,000 lbs., Cummins ISL9 450 HP, Aluminum Body. Vehicle is Fully Compliant With NFPA 1901.	\$356,488.46
KME	RM10	RESCUE Heavy Duty, Special Service-- International 4400 SA SBA 2DR 4X2 , Seating for 3, Front Axle 12,000 lbs., Rear Axle 23,000 lbs., International MaxxForce 9 EPA 10 330 HP, Aluminum Body, Bauer BpII-25 Cascade System with 4 6000 PSI Bottles and Appleton Space Saver Fill Station. Vehicle is Fully Compliant With NFPA 1901.	\$360,626.74
KME	RM11	RESCUE Heavy Duty, Wet Rescue-- KME Custom, Seating for 6, Front Axle 21,500 lbs., Rear Axle 27,000 lbs., Cummins ISL9 450 HP, Hale DSD-150 1500 GPM, 500 Gallon Poly Water Tank, Aluminum Body. Vehicle is Fully Compliant With NFPA 1901.	\$365,525.43
KME	TM1	TANKER Elliptical, LE, 2000-- International 4400 SA 2DR 4X2, Seating for 3, Front Axle 14,000 Lbs., Rear Axle 30,000 Lbs., MaxForce 9 330 HP, Hale AP-50 500 GPM - PTO, 2000 Gallon Painted Poly Tank, Aluminum Body. Vehicle is Fully Compliant With NFPA 1901.	\$188,176.87
KME	TM2	TANKER Elliptical, LE, 3000-- International 7500 TA SBA 2DR 6X4, Seating For 3, Front Axle 16,000 lbs., Rear Axle 40,000 lbs., MaxxForce 10 EPA 10 350 HP, Hale AP-50 500 GPM With PTO, 3000 Gallon Poly Tank Painted, Aluminum Body. Vehicle is Fully Compliant With NFPA 1901.	\$215,678.65
KME	TM3	TANKER Elliptical, LX, 2000-- International 4400 SA SBA 2DR 4X2, Seating For 3, Front Axle 14,000 lbs., Rear Axle 30,000 lbs., MaxxForce 9 EPA 10 330 HP, Hale QFLO Plus-100 1000 GPM, 2000 Gallon Poly Water Tank Painted, Aluminum Body, ZICO 2-Arm Quic-Lift Portable Tank System. Vehicle is Fully Compliant With NFPA 1901.	\$241,703.87

Mfg. Name	part #	Base Units Description	LaMAS Price
KME	TM4	TANKER Elliptical, LX, 3000 -- International 7500 TA SBA 2DR 6X4, Seating for 3, Front Axle 16,000 lbs., Rear Axle 40,000 lbs., MaxxFORCE 10 EPA 10 350 HP, Hale QFLO Plus-100 1000 GPM, 3000 Gallon Poly Water Tank Painted, Aluminum Body, ZICO 2-Arm Quic-Lift Portable Tank System. Vehicle is Fully Compliant With NFPA 1901.	\$268,314.15
KME	TM5	TANKER Wetside, LE, 2000 -- International 4400 SA SBA 2DR 4X2, Seating for 3, Front Axle 14,000 lbs., Rear Axle 30,000 lbs., MaxxFORCE 9 EPA 10 330 HP, Hale AP-50 500 GPM PTO, 2000 Gallon Poly Water Tank Painted, Aluminum Body. Vehicle is Fully Compliant With NFPA 1901.	\$195,294.54
KME	TM6	TANKER Wetside, LE, 3000 -- International 7500 TA SBA 2DR 6X4, Seating for 3, Front Axle 16,000 lbs., Rear Axle 40,000 lbs., MaxxFORCE 10 EPA 10 350 HP, Hale AP-50 500 GPM PTO, 3000 Gallon Poly Water Tank Painted, Aluminum Body. Vehicle is Fully Compliant With NFPA 1901.	\$221,666.82
KME	TM7	TANKER Eliminator, 2000 -- International 4400 SA SBA 2DR 4X2, Seating for 3, Front Axle 14,000 lbs., Rear Axle 30,000 lbs., MaxxFORCE 9 EPA 10 330 HP, Hale DSD-75 750 GPM, 2000 Gallon Poly Water Tank, Aluminum Body, ZICO 2-Arm Quic-Lift Portable Tank System. Vehicle is Fully Compliant With NFPA 1901.	\$249,186.22
KME	TM8	TANKER Eliminator, 3000 -- International 7600 TA SBA 2DR 6X4, Seating for 3, Front Axle 18,000 lbs., Rear Axle 46,000 lbs., Navistar N13 EPA 10 SCR 475 HP, Hale DSD-75 750 GPM, 3000 Gallon Poly Water Tank, Aluminum Body, ZICO 2-Arm Quic-Lift Portable Tank System. Vehicle is Fully Compliant With NFPA 1901.	\$307,267.80
KME	TM9	TANKER Flex Pumper Tanker, 2000 -- International 4400 SA SBA 2DR 4X2, Seating for 3, Front Axle 14,000 lbs., Rear Axle 30,000 lbs., MaxxFORCE 9 EPA 10 330 HP, Hale QFLO Plus-100 1000 GPM, 2000 Gallon Poly Water Tank, Aluminum Body, ZICO 2-Arm Quic-Lift Portable Tank System. Vehicle is Fully Compliant With NFPA 1901.	\$255,573.61
KME	TM10	TANKER Flex Pumper Tanker, 3000 -- International 7600 TA SBA 2DR 6X4, Seating for 3, Front Axle 18,000 lbs., Rear Axle 46,000 lbs., Navistar N13 EPA 10 SCR 475 HP, Hale QFLO Plus-100 1000 GPM, 3000 Gallon Poly Water Tank, Aluminum Body, ZICO 2-Arm Quic-Lift Portable Tank System. Vehicle is Fully Compliant With NFPA 1901.	\$306,667.06

Mfg. Name	part #	Base Units Description	LaMAS Price
KME	TM11	TANKER Flex Pumper Tanker, 2000 -- KME Custom, Seating For 6, Front Axle 21,500 lbs., Rear Axle 31,000 lbs., ILS9 450 HP, hale QFLO Plus-100 1000 GPM, 2000 Gallon Poly Tank, Aluminum Body, ZICO 2-Arm Quic-Lift Portable Tank System. Vehicle is Fully Compliant With NFPA 1901.	\$375,494.20
KME	TM12	TANKER Flex Pumper Tanker, 3000 -- KME Custom, Seating for 6, Front Axle 21,500 lbs., Rear Axle 48,000 lbs., Cummins ISL9 450 HP, Hale QFLO Plus-100 1000 GPM, 3000 Gallon Poly Water Tank, Aluminum Body, ZICO 2-Arm Quic-Lift Portable Tank System. Vehicle is Fully Compliant With NFPA 1901.	\$405,704.75
KME	WM1	WILDLAND Type 6 Flatbed Interface -- Ford F-550 2DR 4X4 Auto XL, Seating for 3, Front Axle 7,000 lbs., Rear Axle 14,700 lbs., Powerstroke 6.7L V-8 OHV 300 HP, Hale HPX 200-B18 18HP Gasoline Motor Driven Pump, 300 Gallon Modular Water Tank, Aluminum Body. Vehicle is Fully Compliant With NFPA 1906.	\$108,237.26
KME	WM2	WILDLAND Type 6 Utility Interface -- Ford F-550 2DR 4X4 Auto XL, Seating for 3, Front Axle 7,000 lbs., Rear Axle 14,700 lbs., Powerstroke 6.7l V-8 OHV 300 HP, Hale HPX 200-B18 18 HP Gas Motor Driven Pump, 300 Gallon Modular Water Tank, 14 Gauge Galvanneal Steel Body. Vehicle is Fully Compliant With NFPA 1906.	\$129,905.06
KME	WM3	WILDLAND Type 6 Wildland, similar to USDA Forest Service model 643P -- Ford F-550 Super Cab 4X4 Auto XL, Seating For 6, Front Axle 7,000 lbs., Rear Axle 14,700 lbs., Powerstroke 6.7L V-8 OHV 300 HP, Darley 1-1/2 Age 24K Kubota Motor Driven Pump, FoamPro 1601 Foam System, 300 Gallon Modular Water Tank, 12 Gallon Foam Tank, Galvanneal Steel Body. Vehicle is Fully Compliant With NFPA 1906.	\$164,370.66
KME	WM4	WILDLAND Type 6 Wildland, similar to USDA Forest Service model 643U -- Ford F-550 Super Cab 4X4 Auto XL, Seating for 6, Front Axle 7,000 lbs., Rear Axle 14,700 lbs., Powerstroke 6.7L V-8 OVH 300 HP, Darley 1-1/2 Age 24K Kubota Motor Driven Pump, FoamPro 1601 Foam System, 300 Gallon Modular Water Tank, 12 Gallon Foam Tank, Galvanneal Steel Body. Vehicle is Fully Compliant With NFPA 1906.	\$177,808.55

Mfg. Name	part #	Base Units Description	LaMAS Price
KME	WM5	WILDLAND Type 6 Wildland, similar to BLM model 662-- Ford F-550 Super Cab 4X4 Auto XL, Seating for 6, Front Axle 7,000 lbs., Rear Axle 14,700 lbs., Powerstroke 6.7L V-8 OHV 300 HP, Darley 1-1/2 Age 24K Kubota Motor Driven Pump, FoamPro 1601 Foam System, 300 Gallon Modular Water Tank, 12 Gallon Foam Tank, Galvanneal Steel Body. Vehicle is Fully Compliant With NFPA 1906.	\$172,502.68
KME	WM6	WILDLAND Type 3 Wildland-- International 7400 SA SFA 4DR 4X4, Seating for 5, Front Axle 12,000 lbs., Rear Axle 23,000 lbs., MaxxFORCE 9 EPA 10 330 HP, Darley JMP 500 GPM Two Stage Centrifugal PTO Driven, FoamPro 2001 Foam System, 500 Gallon Poly Water Tank, 20 Gallon Foam Tank, Galvanneal Steel Body, Front Bumper Turret. Vehicle is Fully Compliant With NFPA 1906.	\$327,781.74
KME	WM7	WILDLAND Type 3 Wildland, similar to USDA Forest Service model 326 / 346-- International 7400 SA SFA 4DR 4X4, Seating for 6, Front Axle 14,000 lbs., Rear Axle 23,000 lbs., MaxxFORCE 9 EPA 10 330 HP, hale CBP-250 GPM PTO, FoamPro 2001 Foam System, 600 Gallon Poly Water Tank, 25 Gallon Foam Tank, Galvanneal Steel Body. Vehicle is Fully Compliant With NFPA 1906.	\$287,274.68
KME	WM8	WILDLAND Type 4 Wildland, similar to USDA Forest Service model 448-- International 7400 SA SFA 4DR 4X4, Seating for 6, Front Axle 14,000 lbs., Rear Axle 23,000 lbs., MaxxFORCE DT EPA 10 300 HP, Darley 1.5 Age 24k Mounted at Rear of Body, FoamPro 1601 Foam System, 800 Gallon Poly Water Tank, 25 Gallon Foam Tank, Galvanneal Steel Body. Vehicle is Fully Compliant With NFPA 1906.	\$288,093.83
KME	WM9	WILDLAND Type 4 Wildland, similar to BLM model 667-- International 7400 SA SFA 2DR 4X4, Seating for 3, Front Axle 14,000 lbs., Rear Axle 23,000 lbs., MaxxFORCE DT EPA 10 300 HP, Darley 1.5 Age 33K Pump at Rear of Body, Waterous Aquis 1.5 Foam System, 850 Gallon Poly Water Tank, 20 Gallon Foam Tank, 304L Stainless Steel Body. Vehicle is Fully Compliant With NFPA 1906.	\$297,673.85
KME	WM10	WILDLAND Type 4 Wildland, similar to BLM model 667M-- International 7400 SA SFA Ext. Cab 4X4, Seating for 6, Front Axle 14,000 lbs., Rear Axle 23,000 lbs., MaxxFORCE DT EapA 10 300 HP, Darley 1.5 Age 33K Pump at Front of Body, Waterous Aquis 1.5 Foam System, 750 Gallon Poly Water Tank, 20 Gallon Foam Tank, 304L Stainless Steel Body. Vehicle is Fully Compliant With NFPA 1906.	\$305,025.44

Mfg. Name	part #	Base Units Description	LaMAS Price
KME	WM11	WILDLAND Mini-Pumper -- Ford F-550 4DR 4X4 Auto XL, Seating for 6, Front Axle 7,000 lbs., Rear Axle 14,700 lbs., PowerStroke 6.7L V-8 OHV 300 HP, Hale DSD-125 1250 GPM, 250 Gallon Poly Water Tank, Aluminum Body. Vehicle is Fully Compliant With NFPA 1901.	\$179,381.41
KME	WM12	WILDLAND Type 1/2 Interface Pumper -- Ridge Runner, International 7400 SA SFA 4DR 4X4, Seating for 5, Front Axle 14,000 lbs., Rear Axle 26,000 lbs., MaxxForce 9 EPA 10 330 HP, Hale Interface 1500/100 Pumping System PTO, FoamPro 2001 Foam System, 800 Gallon Poly Water Tank, Aluminum Body, Front Bumper Turret. Vehicle is Fully Compliant With NFPA 1901 & 1906.	\$326,435.25
KME	WM14	WILDLAND 10 Person Crew Carrier, based on BLM Specification -- International 4400 SA SBA 2DR 4X2, Seating for 3, Front Axle 10,000 lbs., Rear Axle 17,500 lbs., MaxxForce DT EPA 10 285 HP, Galvaneal Steel Body. Vehicle is Fully Compliant With NFPA 1906.	\$209,150.52